

Adding a New Property

Adding a New Property

this page you can add a nev				
Key Attributes	Calcu	lation		
	Code	Í	Abbreviation	
	Name			
1	Description			
	Description			
		•		×
Pro				
Pro	operty Type			

Go to 'Add a New Property'.

In the 'Key Attributes' tab enter the Code and Name for the new property.

Specify a 'Property Type' for the property.

Select which 'Property Group' the property should appear in.

New Property Group and Types can be added if required.

Choose a 'Value Type'. This can be specific value formats such as 'Yes/No' and 'Time & Date' or general options such as 'Text' and 'Number'. Once a 'Value Type' has been selected other options will become available to further modify the behaviour of the property.

Add a New Property							
On this page you can add a new property.							
Key Attributes Calc	ulation						
Is Calculated	• No O	Voc					
Prevent Batch Calculation Update							
	Standard						
Calculation Method		custom					
Calculation Method					*		
	Please select an v						
No calculation method has selected	value type, you ca	n add a new	custom o	ne.			
Property Based On		S					
Calculation Source	Regulatory Cor	nposition 🔾	Physical		Other Property		
Family			Severity				
General Concentration Limit		Low	ver Limit				
Rule Script							

In the 'Calculation' tab specify if the property is automatically calculated. If so, specify how and where the property will be calculated from.

Once all the details have been specified click 'Save'.





Adding a New Property

Frequently Asked Questions

How do I set up a calculated property?

The 'Calculation' tab contains the settings used for calculated properties. Unlike setting up a manually entered property, automatically calculated properties can be complicated. You will need to specify how and where the property will be calculated from. We recommend you contact us for assistance.

What is the difference between a Property, Property Types and Property Groups?

A 'Property' is a value or attribute attached to an item. Flash Point, Colour and Specific Gravity are all properties.

You can get different 'Property Types'. For example, Flash Point, Colour and Specific Gravity are all Physical Data.

'Property Groups' can be used to further manage your properties. A property group can contain more than one property type and can be used when searching for items.

- Formpak has a built in Help Centre. Click the 'Help' button to access.
- You can modify an existing property using 'Modify a Property'.

Tips

- A property can belong to more than one Property Type and Group.
- Properties can be configured to expect a number, or text, or to show a pick list.
- You can specify the maximum length of the value.
- You can restrict the permission of a Property using Property Groups.
- For more information about how to use properties in documents please contact us.



Further training on this topic is available in our <u>Understanding Properties</u> Training Plan.